

Dataset Information:

Title	Emissions Totals
Abstract	<p>The FAOSTAT domain Emissions Totals summarizes the greenhouse gas (GHG) emissions disseminated in the FAOSTAT Climate Change Emissions domains, generated from agri-food systems. Data are computed following the Tier 1 methods of the Intergovernmental Panel on Climate Change (IPCC) Guidelines for National greenhouse gas (GHG) Inventories (IPCC, 1996; 1997; 2000; 2002; 2006; 2014). Emissions from other economic sectors as defined by the IPCC are also disseminated in the domain for completeness. The domain includes methane (CH₄), nitrous oxide (N₂O) and carbon dioxide (CO₂) emissions from all the above activities as well as the aggregate fluorinated gases (F-gases) emissions used in industrial processes. Estimates are available by country, with global coverage for the period 1961–2020 with projections for 2030 and 2050 for some categories of emissions or 1990–2020 for others. The database is updated annually.</p>
Supplemental	<p>The FAOSTAT domain Emissions Totals disseminates information estimates of CH₄, N₂O, CO₂ emissions/removals, F-gases and their aggregates in CO₂eq in units of kilotonnes (kt, or 10⁶ kg). The latter are computed by using the IPCC Fifth Assessment report global warming potentials, AR5 (IPCC, 2014). Data are available for most countries and territories, for standard FAOSTAT regional aggregations, and for Annex I and non-Annex I country groups.</p> <p>This domain jointly disseminates the emissions reported by countries to the United Nations Framework Convention on Climate Change (UNFCCC). Emission data are sourced directly from the UNFCCC data portal as submitted by countries through their most recent GHG National Inventories (NGHGI) or are extracted from Biennial Update Reports (BURs). UNFCCC data are disseminated in FAOSTAT with permission, formalized via a FAO-UNFCCC Memorandum of Understanding.</p> <p>The IPCC guidelines consider the FAOSTAT database as a useful tool for NGHGI QA/QC processes and validation of both activity data and emissions estimates (IPCC, 2019).</p>
Creation Date	2012
Last Update	2022
Data Type	Climate Change - Greenhouse Gases
Category	Environment
Time Period	1961–2020; projections for 2030 and 2050; 1990–2020
Periodicity	Annual
Geographical Coverage	World
Spatial Unit	In 2020, 191 countries and 20 territories (FAO Tier I)
Language	Multilingual (EN, FR, ES)

Methodology and Quality Information:

Method s and process ing

Overview

The FAOSTAT domain *Emissions Totals* includes estimates of GHG emissions from agri-food systems. These cover the emissions generated within **farm gate**, those associated with the **land use change** and the emissions from **pre- and post-production** food processes. Table 1 provides the categories covered.

Table 1. Categories of emissions from the agri-food systems

Category	Time series	CH ₄	N ₂ O	CO ₂	F-gases
Burning - crop residues	1961–2020; 2030; 2050	✓	✓		
Crop residues			✓		
Enteric fermentation		✓			
Manure applied to soils			✓		
Manure left on pasture			✓		
Manure management		✓	✓		
Rice cultivation		✓			
Savanna fires		✓	✓		
Synthetic fertilizers				✓	
Drained organic soils	1990–2020		✓	✓	
Fires in organic soils	1990–2020	✓		✓	
Forest fires	1990–2020	✓	✓		
Forestland	1990–2020			✓	
Net forest conversion	1990–2020			✓	
On-farm energy use	1990–2020	✓	✓	✓	
Fertilizers manufacturing	1990–2020	✓	✓	✓	
On-farm electricity use	1990–2020	✓	✓	✓	
Food processing	1990–2020	✓	✓	✓	
Food transport	1990–2020	✓	✓	✓	
Food retail	1990–2020	✓	✓	✓	✓
Food systems waste disposal	1990–2020	✓	✓	✓	
Food household consumption	1990–2020	✓	✓	✓	
Food packaging	1990–2020	✓	✓	✓	

CO₂eq

Estimates for Pre- and Post- Production food processes

Emissions totals also disseminates the GHG estimates from pre- and post- production food processes. Emissions are calculated based on data from the UN Statistical Division (UNSD), the International Energy Agency (IEA) and other third-party as well as by integrating emission information from the PRIMAP-hist dataset v2.4 (Gütschow et al., 2022). Methodologies for these estimates are described in dedicated working papers as follows: I) [food transport](#); II) [food systems waste disposal](#) and III) [fertilizers manufacturing, food processing, retail, packaging and household consumption](#).

It should be noted that, the world aggregate estimates of food transport also includes international bunkers related to food. Emissions from “International Bunkers” is derived from data on ‘International aviation’ and ‘International navigation/shipping’ of the EDGARv6.0 dataset (JRC/PBL, 2019), covering the period 1990–2018 and extrapolated linearly to 2020 by

using the average growth rate of the 2016–2018 period. Emissions for this category only available for the world aggregate.

PRIMAP data for other IPCC sectors

For completeness and in view of computing shares of emissions for the whole economy (these are disseminated separately in the FAOSTAT domain [Emissions shares](#)), Emissions totals also disseminates data from other IPCC economic sectors, namely energy, industrial processes and product use (IPPU), waste and other n.e.c. These data are sourced from the PRIMAP-hist v2.4 dataset (Gütschow et al., 2022).

Territorial definitions

The territorial definitions of the PRIMAP-hist dataset are based on the list of countries reporting their emissions under the UNFCCC (Gütschow et al., 2016). These definitions differ from the FAOSTAT list of countries and territories, which in turn reflects the annual reporting of member countries to FAO. For instance, PRIMAP emissions data for the United Kingdom include Bermuda as well as other countries/territories for which FAOSTAT disseminates instead the emissions estimates separately. In practice, in the final dataset, data for these countries and territories are not available for all sectors. The table in annex summarizes the differences in territorial definitions between PRIMAP-hist and FAOSTAT.

Preparation of the time series from PRIMAP data

In line with UNFCCC standards (Gütschow et al., 2016), PRIMAP data attributes the emissions originating from a certain territory at any point in time to the state the territory currently belongs to. Thus, for the entire time series (1850–2020), emissions are attributed to the country/territory now present, including back in time when it was part of a different country or territory. Conversely, FAOSTAT data follows the actual country and territory composition and its changes over time. For instance, FAOSTAT emissions estimates for the former Soviet Union (USSR) are available until 1991. From 1992 onward, statistics are disseminated for the 15 countries originated from the split. To maintain consistency along the entire time series, PRIMAP data are thus aggregated backward in time as appropriate following the same logic as in FAOSTAT data.

UNFCCC country reports

The domain Emissions Totals also disseminates data reported by countries to the UNFCCC in their national GHG inventories (NGHGI). Figure 1 summarizes the correspondence between UNFCCC and FAOSTAT categories. For additional guidance, a more detailed mapping is also provided as a separate document in this and in all the single FAOSTAT domains of the Emissions database. It should be noted that due to incomplete reporting, significant data gaps characterize aggregated values for countries belonging to the non-Annex I group as defined by UNFCCC. Nonetheless, values for these countries and for the non-Annex I aggregate are disseminated to highlight the existing data gaps.

Figure 1. Correspondence between IPCC, FAO emissions categories and aggregates

IPCC for NGHGI		FAO categories and gases		FAO aggregates								
LULUCF	AFOLU	Forest land	Forestland	CO ²	Land use change	Agricultural land	Agri-food systems					
		Burning biomass	Fires, other forest	CH ⁴ ; N ² O								
			Fires, organic soils	CO ² ; CH ⁴								
			Fires, humid tropical forest	CH ⁴ ; N ² O								
		Forest land converted to other land uses (CL, GL, Settlement, Wetlands, etc.)	Net forest conversion	CO ²								
Agriculture	AFOLU	Drained organic soils	Drained organic soils	CO ²	Farm gate	Agricultural land	Agri-food systems					
		Cultivation of histosols		N ² O								
		Inorganic N fertilizers	Synthetic fertilizers	N ² O								
		Crop residues	Crop residues	N ² O								
		Manure deposited on pasture, range and paddock	Manure left on pasture	N ² O								
		Manure applied to soils	Manure applied to soils	N ² O								
		Manure management	Manure management	CH ⁴ ; N ² O								
		Enteric fermentation	Enteric fermentation	CH ⁴								
		Prescribed burning of savanna	Savanna fires	CH ⁴ ; N ² O								
		Burning crop residues	Burning- crop residues	CH ⁴ ; N ² O								
		Rice cultivation	Rice cultivation	CH ⁴								
		Energy	AFOLU	On-farm energy use					CO ² ; CH ⁴ ; N ² O	Pre- and post- production	Agricultural land	Agri-food systems
				On-farm electricity use					CO ² ; CH ⁴ ; N ² O			
				Fertilizers manufacturing					CO ² ; N ² O			
				Pesticides manufacturing					CO ² ; CH ⁴ ; N ² O			
Food household consumption				CO ² ; CH ⁴ ; N ² O								
Food packaging				CO ² ; CH ⁴ ; N ² O								
Food processing				CO ² ; CH ⁴ ; N ² O								
Food transport				CO ² ; CH ⁴ ; N ² O								
Food retail				CO ₂ ; CH ₄ ; N ₂ O								
IPPU		F-gases										
Waste	Food waste disposal	CO ² ; CH ⁴ ; N ² O										
Other n.e.c.												
International bunkers												

Global Warming Potential (GWP)

Emissions in single gases are converted into their CO₂ equivalents using the IPCC (2014) AR5 global warming potential coefficients corresponding to a 100-year horizon. Specifically, we used: GWP(CO₂)=1; GWP(CH₄)=28 GWP(N₂O)=265 and GWP(F-gases)=5 195. The GWP for F-gases was obtained as the mean of AR5 GWPs provided for the roughly 20 F- species (Tab. 2). PRIMAP data applies instead aggregate F-gases expressed using IPCC (2007) AR4 coefficients. For this reason, we first converted PRIMAP F-gases into F-gas amounts using the mean GWP_AR4 (F-gases) = 5 346 and then applied the AR5 mean GWP.

Table 2. Global Warming Potentials (GWPs) relative to CO₂ (dimensionless)

	Greenhouse gas	GWP	
		AR4 (IPCC, 2007)	AR5 (IPCC, 2014)
<i>Single gases</i>	N ₂ O	298	265
	CO ₂	1	1
	CH ₄	25	28
	F-gases	5 346	5 195
<i>F-gases</i>	HFC-23	14 800	12 400
	HFC-32	675	677
	HFC-41		116
	HFC-125	3 500	3 170
	HFC-134		1 120
	HFC-134a	1 430	1 300
	HFC-143		328
	HFC-143a	4 470	4 800
	HFC-152		16
	HFC-152a	124	138
	HFC-161		4
	HFC-227ea	3 220	3 350
	HFC-236cb		1 210
	HFC-236ea		1 330
	HFC-236fa	9 810	8 060
	HFC-245ca		716
	HFC-245fa	1 030	858
	HFC-365mfc	794	804
	HFC-43-10mee	1 640	1 650
	Sulfur hexafluoride (SF ₆)	22 800	23 500
	Nitrogen trifluoride (NF ₃)	17 200	16 100
	PFC-14	7 390	6 630
PFC-116	12 200	11 100	
PFC-218	8 830	8 900	
PFC-318	10 300	9 540	
PFC-31-10	8 860	9 200	

PFC-41-12	9 160	8 550
PFC-51-14	9 300	7 910
PCF-91-18	7 500	7 190

References

Alexandratos, N. and Bruinsma J. 2012. World agriculture towards 2030/2050: the 2012 revision. ESA Working paper No. 12-03. Rome, FAO. Available at <http://www.fao.org/docrep/016/ap106e/ap106e.pdf>

Conchedda, G. and Tubiello, F.N. 2020. Drainage of organic soils and GHG emissions: Validation with country data. Earth System Science Data Discussions 2020, 1–47. <https://doi.org/10.5194/essd-2020-202>

Gütschow, Johannes; Jeffery, M. Louise; Gieseke, Robert; Gebel, Ronja; Stevens, David; Krapp, Mario; Rocha, Marcia. 2016: The PRIMAP-hist national historical emissions time series, Earth Syst. Sci. Data, 8, 571-603: <https://doi.org/10.5194/essd-8-571-2016> (Description paper)

Gütschow, Johannes; Pflüger, Mika. 2022: The PRIMAP-hist national historical emissions time series (1750-2021) v2.4. Zenodo: <https://doi.org/10.5281/zenodo7179775> (Dataset)

IPCC. 1997. Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories, OECD, Paris. Available at: <http://www.ipcc-nggip.iges.or.jp/public/gl/invs1.html>

IPCC. 2000. Good practice guidance and uncertainty management in national greenhouse gas inventories. In: J. Penman et al. (Eds.), IPCC National Greenhouse Gas Inventories Programme, Technical Support Unit, Hayama, Japan. Available at: http://www.ipcc-nggip.iges.or.jp/public/gp/english/gpgaum_en.html

IPCC. 2002. Background Papers, IPCC Expert Meetings on Good Practice Guidance and Uncertainty Management in National Greenhouse Gas Inventories. IPCC-NGGIP, p.399-417. Available at: <http://www.ipcc-nggip.iges.or.jp/public/gp/gpg-bgp.html>

IPCC. 2006. 2006 IPCC Guidelines for National Greenhouse Gas Inventories, Prepared by the National Greenhouse Gas Inventories Programme, Eggleston H.S., Buendia L., Miwa K., Ngara T. and Tanabe K. (Eds), IGES, Hayama, Japan. Available at <http://www.ipcc-nggip.iges.or.jp/public/2006gl/index.html>

IPCC. 2014. Fifth Assessment Report Climate Change 2014. GWP values. https://www.ipcc.ch/pdf/assessmentreport/ar5/wg1/WG1AR5_Chapter08_FINAL.pdf

IPCC. 2019. 2019 Refinement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories. Available at <https://www.ipcc.ch/report/2019-refinement-to-the-2006-ipcc-guidelines-for-national-greenhouse-gas-inventories/>

Prosperi, P., Bloise, M., Tubiello, F.N., Conchedda, G., Rossi, S., Boschetti, L., Salvatore, M. & Bernoux, M. 2020. New estimates of greenhouse gas emissions from biomass burning and peat fires using MODIS Collection 6 burned areas. Climatic Change 1–18.

Tubiello, F.N. 2019. Greenhouse Gas Emissions Due to Agriculture. In: Ferranti, P., Berry, E.M., Anderson, J.R. (Eds.), Encyclopedia of Food Security and Sustainability, vol. 1, pp. 196–205. Elsevier. ISBN: 9780128126875

Tubiello, F. N., G. Conchedda, N. Wanner, S. Federici, S. Rossi, and G. Grassi. 2021. Carbon Emissions and Removals from Forests: New Estimates, 1990–2020. Earth System Science Data 13 (4): 1681–1691. <https://doi.org/10.5194/essd-13-1681-2021>.

Tubiello, F.N. et al., 2021. Greenhouse Gas Emissions from Food Systems: Building the Evidence Base. Env Res Letters. <https://iopscience.iop.org/article/10.1088/1748-9326/ac018e>.

Wei, F., Wang, S., Fu, B., Brandt, M., Pan, N., Wang, C. & Fensholt, R. 2020. Nonlinear dynamics of fires in Africa over recent decades controlled by precipitation. Global Change Biology.

Data Computed

Collection Method

Completeness 100%

Useful links <http://www.fao.org/food-agriculture-statistics/statistical-domains/environment/en/>
<http://www.ipcc-nggip.iges.or.jp/public/>
https://di.unfccc.int/detailed_data_by_party

Distribution Information:

Owner FAO

Provider FAO

Source FAO

Copyright Policy FAOSTAT is part of FAO corporate statistical databases in scope of the FAO [Open Data Licensing Policy](#). Terms of use are available at: <http://www.fao.org/contact-us/terms/db-terms-of-use/en>

Citation	FAO, 2022. FAOSTAT Climate Change, Emissions, Emissions Totals, http://www.fao.org/faostat/en/#data/GT
Acknowledgements	The FAOSTAT Emissions database is developed and maintained by FAO Statistics Division (ESS) with Regular Programme Funding. Initial support was kindly provided by Norway and Germany under Trust Funds GCP/GLO/286/GER and GCP/GLO/325/NOR. Support by UNFCCC in information sharing and facilitation of data access is also graciously acknowledged.

[Statistical Database Terms of Use](#)



This work is made available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO license (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>). In addition to this license, some database specific terms of use are listed: [Terms of Use of Datasets](#).

ANNEX*

MAIN TERRITORIAL DEFINITION	COUNTRIES / TERRITORIES / DEPENDENCIES		
	<i>included</i>	<i>with independent data</i>	<i>w/out independent data</i>
Australia	PRIMAP	Norfolk Island; Christmas Island; Cocos Islands; Heard and Mc-Donald Islands	
	FAOSTAT	Christmas Island; Cocos Islands	Norfolk Island Heard and Mc-Donald Islands
China	PRIMAP	Hong Kong; Macao; Taiwan	
	FAOSTAT	China, Hong Kong SAR; China, Macao SAR, China, Taiwan Province of	
Denmark	PRIMAP	Faroe Islands; Greenland	
	FAOSTAT	Faroe Islands; Greenland	
Israel	PRIMAP	Palestinian Territory	
	FAOSTAT	Palestine	
Finland	PRIMAP	Åland Islands	
	FAOSTAT		
Morocco	PRIMAP	Western Sahara	
	FAOSTAT	Western Sahara	
Netherlands	PRIMAP	Aruba; Netherlands Antilles (Bonaire; Curacau; Saba; Sint Eustatius; Sint Maaten)	
	FAOSTAT	Aruba, Netherlands Antilles (former)	
Norway	PRIMAP	Svalbard	
	FAOSTAT	Bouvet Island	Svalbard and Jan Mayen Islands
New Zealand	PRIMAP	Tokelau	

FAOSTAT Domain [Emissions Totals](#). Methodological note, release October 2022

	FAOSTAT		Tokelau
United Kingdom	PRIMAP	<i>Bermuda; Cayman Islands; Channel Islands; Falkland Islands (Malvinas); Gibraltar; Guernsey; Isle Of Man; Jersey; Montserrat</i>	<i>Anguilla; British Indian Ocean Territory; Pitcairn Islands; Saint Helena, Ascension and Tristan da Cunha; Turks and Caicos Islands; British Virgin Islands</i>
	FAOSTAT		Bermuda; Cayman Islands; Channel Islands; Falkland Islands (Malvinas); Gibraltar; Isle Of Man; Montserrat; Anguilla; Pitcairn Islands; Saint Helena, Ascension and Tristan da Cunha; Turks and Caicos Islands; British Virgin Islands
United States	PRIMAP	<i>Guam; Northern Mariana Islands; Puerto Rico; American Samoa; United States Virgin Islands</i>	
	FAOSTAT		Guam; Northern Mariana Islands; Puerto Rico; American Samoa; United States Virgin Islands